

Axxxxxgh*, B Kxxxxxxsh*, Csxxxxr*, Dxxxxxxxsa**,

*Assistant Professor, ** bbbb, Department of Ppppppp, xxxx National Medical College, bbbbi 320041

Abstracts:

Key Words: Asphyxia, Burns, Diabetes, Meditation. Starving.

Corresponding Author: Dr., Department ofcology,

National Medical College, Mumbai – 00000. E- mail: xxxxxxxxxxx@gmail.com


Result:

Table:1 Study variables in comparison between xxxx and Control groups

	24	.8	24	1	
	70	6	70	4	
	15	2	16	2	
BPD	119	6	119	3	
BPS	79	5	80	3	

Table:2: Comparison of bbbbbbbb of study

Mean	±SD	Mean	±SD
1.33	0.06	1.33	0.06
0.93	0.11	1.6	0.11
528	13	524	2
542	13	518	16



Graph-1: Bland and Altman plot

Discussion:

Conclusion:

Acknowledgment:

References:

- 1. Mononen K, Filaire, E., Alix, D., Ferrand, C, Verger, M. Psychophysiological stress in tennis players during the first single match of a tournament. Psychoneuroendocrinology. 2009; 34 (1):150-7.
- 2. E E Solberg, F Ingjer, A Holen. Reviews of the literature, Recovery from a standardized exercise bout: a study on 31 runners practicing relaxation technique. British Journal of Sports Medicine. 2000; 34:268-272.
- 3. Astin JA. Stress reduction through mindfulness meditation: Effects on psychological symtomatology, sense of control and spiritual experiences. Psychotherapy and Psychosomatics. 1997; 66(2): 97-106.
- 4. Burrow GN. The Thyroid: nodules and neoplasia. In: Fleig P, Baxter JD, Broadus AE, Frohman LA, editors. Endocrinology and metabolism. 2nd ed. New York: McGraw-Hill. 1989: 473-507.
- 5. Pal GK and Pal Pravati. Brainstem auditory evoked potential. In: Text book of practical physiology. 2nd ed. Chennai: Orient Longman. 2005: 305-309